

We claim:

1. A revetment block, comprising:

5 a substantially rectangular block having a top and a bottom surface;

a first and a second end extending vertically between said top and bottom surfaces;

10 first and second sidewalls each having at least one vertical surface and inwardly and outwardly extending transition surfaces between said top and said bottom surface.

15 2. The revetment block of claim 1, wherein said first and said second sidewall and said transition surfaces define an interlock extending outwardly normal to said at least one vertical surface.

3. The revetment block of claim 1, wherein said first and second ends are substantially parallel and said sidewalls are substantially parallel.

20 4. The revetment block of claim 1 further comprising a first and a second aperture extending from said top surface through said block.

5. The revetment block of claim 4, wherein said first and said second aperture have first and second tapered walls and wherein

Sub
A-1
an upper portion of said apertures is larger than a lower
portion of said apertures.

6. The revetment block of claim 1 further comprising a dome
extending from said revetment block top surface.

5 7. The revetment block of claim 6, said dome having a
curvilinear wall extending from said top surface to a dome top
surface.

8. The revetment block of claim 1 having a plurality of ducts
extending through said revetment block.

10 9. The revetment block of claim 8 said plurality of ducts
extending from said first end to said second end of said
revetment block.

10. A revetment block, comprising:

15 a substantially rectangular block having a top and a bottom
surface;

first and second ends extending vertically between said top
and bottom surfaces;

a first and a second sidewall each having at least one
transition surface between a plurality of vertical surfaces;

20 said first and second sidewall having a first and a second
corner space defining an interlock, said interlock extending

Sub
A-1
from said first and said second sidewall normal to said
plurality of vertical surfaces; and,

a dome extending from said top surface and having
curvilinear walls.

5 11. The revetment block of claim 10, wherein said first and
second ends are substantially parallel and said sidewalls are
substantially parallel.

10 12. The revetment block of claim 10 further comprising a first
and a second aperture extending from said dome upper plateau
through said bottom surface of said block.

13. The revetment block of claim 10, wherein said first and
said second aperture have first and second tapered walls and
wherein an upper portion of said apertures is larger than a
lower portion of said apertures.

15 14. The revetment block of claim 10 having a plurality of ducts
extending through said revetment block.

15. The revetment block of claim 14 said plurality of ducts
extending from said first end to said second end of said
revetment block.

20 16. The revetment block of claim 10 said sidewall having
transition surfaces extending between upper and lower vertical
surfaces.

Sub
A1
17. A revetment mat, comprising:

a plurality of revetment blocks having sidewalls including interlocks extending from said sidewalls and corner spaces in said revetment blocks;

5 said interlocks engaging said corner spaces of blocks of an adjacent row;

a mattress formed of a plurality of rows of said revetment blocks in a running bond configuration.

10 18. The revetment mat of claim 17 further comprising at least one cable extending through said rows of said mattress.

19. The revetment block of claim 17 wherein said mattress further comprises half-size revetment blocks on alternating rows.

20. A revetment block, comprising:

15 a substantially rectangular revetment block having tapered interlocks extending from a first and a second sidewall;

said tapered interlocks defining corner spaces having vertical and transition surfaces therein;

20 said interlocks and corner spaces being sized to operably engage adjacent rows of revetment blocks and form a revetment mattress.

Sub
A1
21. The revetment block of claim 20 having apertures extending from a top surface to a bottom surface.

22. The revetment block of claim 20 having a plurality of ducts extending from a first end to a second end of said revetment

5 block.

23. The revetment block of claim 20 having a dome extending from a top surface.

24. The revetment block of claim 23, said dome having curvilinear walls.

10 25. A revetment block, comprising:

a substantially rectangular block having a top and a bottom surface;

a first and a second end extending vertically between said top and said bottom surface;

15 a first and a second sidewall each having at least one vertical surface and inwardly and outwardly extending transition surfaces between said top and said bottom surface;

said first and said second sidewall each having at least one tapered interlock extending from said at least one vertical
20 surface.

Sub
A1
26. The revetment block of claim 25 wherein said first and said second end are substantially parallel and wherein said first and said second sidewall are substantially parallel.

27. The revetment block of claim 26 wherein a first and a second aperture extend from said top surface and through said bottom surface.

28. The revetment block of claim 25 further comprising ducts extending from said first end to said second end.

29. The revetment block of claim 25 further comprising a dome extending from said top surface.

30. A revetment block, comprising:


a substantially rectangular block having a top and bottom surface;

a first and a second end extending vertically between said top and said bottom surface;

first and second sidewalls each having a plurality of vertical surface and inwardly and outwardly extending surfaces between said plurality of vertical surfaces;

said sidewalls each having at least one interlock extending in a tapered manner from said at least one vertical surface; and,

a dome extending from said top surface.

Sub
A,  31. The revetment block of claim 30, further comprising a plurality of corner spaces defined by said tapered interlock, each of said plurality of corner spaces having a transition surface and a vertical surface therein.

5 32. The revetment block of claim 30 further comprising a first and a second aperture having at least two tapered walls.

33. The revetment block of claim 30 having a plurality of ducts extending between said first and said second end.

34. A revetment block, comprising:

10 a substantially rectangular revetment block having tapered interlocks extending from a first and a second sidewall;

said tapered interlocks defining corner spaces having tapered and vertical surfaces therein;

15 said interlocks and corner spaces being sized to operably engage revetment blocks of adjacent rows and form a revetment mattress.

35. A revetment mat, comprising:

20 a plurality of revetment blocks having first and second sidewalls and tapered interlocks extending from said sidewalls defining corner spaces in said revetment blocks;

said interlocks engaging said corner spaces of revetment blocks of an adjacent row forming a running bond;

Sub
A-1
said mattress formed of a plurality of rows of said
revetment blocks.

36. The revetment mat of claim 35, wherein said plurality of
rows are interconnected by at least one cable extending through
5 said plurality of blocks.

37. A revetment block, comprising

a first end and a parallel second end extending between a
top and a bottom surface;

10 a first sidewall and a substantially parallel second
sidewall;

said first and said second sidewall each having a first
lower vertical surface and a first and a second upper vertical
surface;

15 a first transition extending outwardly between said first
lower vertical surface and said first upper vertical surface;

a second transition extending inwardly between said first
lower vertical surface and said second upper vertical surface;

said first transition and said first upper vertical surface
defining an interlock;

20 said interlock, said second transition surface, and said
second upper vertical surface defining a corner space.

Sub
A1
38. The revetment block of claim 37, said interlock extending
outward from said sidewall normal to said second upper vertical
surface.

39. The revetment block of claim 37, said interlock extending
5 outward from said second upper vertical surface and being
tapered.

10068324-020502